## **AIRPHO**

#### Features

- Supports wireless speeds of up to 300Mbps, which is perfect for website browsing and online video streaming.
- Excellent VDSL2/ ADSL2+ high speed modem router , providing up to 100Mbps broadband speeds.
- Easy one-touch wireless security encryption with the WPS button.
- Easy Setup Assistant provides quick & hassle free installation.


# **AR-V200**

300Mbps Wireless N VDSL/ADSL Modem Router

#### Description

AR-V200 VDSL Router comes with the latest ITU-T G.993.2 VDSL2 standard, providing up to 100Mbps speed downstream and upstream. With 300Mbps wireless speeds over the 2.4GHz band, the AR-V200 is the better choice for users in search of seamless HD video streaming, online gaming and other network tasks. What's more, this device allows for two different connection types - VDSL/ADSL and Ethernet WAN, giving users the flexibility to access the Internet whichever method is most convenient. Meanwhile, the AR-D200 provides strong protection against online security threats, which can guarantee the security of data transmission of home or corporate network.





## Specifications

General	
DSL Standards	VDSL2, ADSL2/2+, ADSL
Wireless Standards	IEEE802.11b/g/n,2.4GHz
Signal Rate	2.4GHz:Up to 300Mbps
Operation Frequency	2.4GHz
Receive Sensitivity	11g 54M:  -77dBm 11n HT20: -74dBm, 11n HT40: -72dBm
Wireless Security	WEP, WPA / WPA2, WPA-PSK/ WPA2-PSK encryption
Hardware	
Interfaces	1 x DSL Port 1 x 10/100/1000Mbps WAN Port 4 x 10/100Mbps LAN Ports
Buttons	Power ON/OFF Button, WPS/ WiFi Button, Reset Button
Power Supply	DC 12V 0.5A
Antenna	2 x 2.4GHz 5dBi Internal antennas
Dimensions (W X D X H)	154mm x 150mm x 30mm

## AR-V200 300Mbps Wireless N VDSL/ADSL Modem Router

Software Features	
WAN Type	ATM/PTM/ETH
DHCP	Server, Client, DHCP Client List, Address Reservation
Quality of Service	WMM, Bandwidth Control
Port Forwarding	Virtual Server, Port Triggering, UPnP, DMZ
VPN Pass-Through	PPTP, L2TP, IPSec
Access Control	Parental Control, Local Management Control, Host List, Access Schedule, Rule Management
Firewall Security	DoS, SPI Firewall
	IP Address Filter/MAC Address Filter/Domain Filter
	IP and MAC Address Binding
Management	Access Control, Local Management, Remote Management
Internet Protocol	IPv4, IPv6
Environment	
Operating Temperature	0°C~40°C (32°F~104°F)
Storage Temperature	-40°C~70°C (-40°F~158°F)
Relative Humidity	10%~90%, non-condensing
Storage Humidity	5%~95%, non-condensing
Certifications	CE, RoHS
Package Contents	
Package Contents	1 x VDSL Router1 x Quick Installation Guide1 x Power Adapter1 x Ethernet Cable1 x Telephone Line1 x VDSL Splitter

# **AIRPHO TECHNOLOGY CO.,LTD** www.airpho.com

Specifications are subject to change without notice. Airpho is a registered trademark of Airpho Corporation and its overseas subsidiaries. All other trademarks belong to their respective owners. ©2018 Airpho Corporation. All rights reserved.